

Journal of Pharmaceutical Research International

33(60B): 1816-1822, 2021; Article no.JPRI.78026

ISSN: 2456-9119

(Past name: British Journal of Pharmaceutical Research, Past ISSN: 2231-2919,

NLM ID: 101631759)

Relationship between Shukra Sara Purusha with Quality of Semen: A Pilot Study

Nikhate Sunil P. a*†, Raole Vaidehi P. a‡ and Karemore Shruti b#

^a Department of Kriya Sharir Parul Institute of Ayurved, Parul University, Vadodara-391760, India.
^b Department of Swasthavritta, Parul Institute of Ayurved & Research, Parul University, Vadodara-391760, India.

Authors' contributions

This work was carried out in collaboration among all authors. All authors read and approved the final manuscript.

Article Information

DOI: 10.9734/JPRI/2021/v33i60B34811

Open Peer Review History:

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here:

https://www.sdiarticle5.com/review-history/78026

Received 15 October 2021 Accepted 20 December 2021 Published 23 December 2021

Short Research Article

ABSTRACT

Dhatu sarata is an excellent state for any particular dhatu (tissue). Shukra dhatu (Reproductive tissue) is one of the seven dhatu reflects reproductive health. Garbhotpadan (reproduction) is main function of Shukra dhatu (Reproductive tissue). Characteristics future of shukra (Semen) is given by ayurvedacharya and this quality of shukra (Semen) said to be best for fertility. Shukta dhatu (Semen) can be correlated with semen. Its quality and quantity affects reproduction and any deformity is lead to infertility in male. Pilot study was conducted to find out relationship between Shukta dhatu sarata and quality of semen. An observational pilot study conducted on apparently healthy volunteers. 30 male volunteers of age group 25-35 years were selected and their Shukra dhatu sarata (Supreme quality of Reproductive tissue) were assessed with standard proforma. Then categorized into Uttam (supreme), Madhayama (Moderate) & Hina (Average) sara on the basis of presence number of characteristics. Semen analysis i.e. semen volume, total sperm count, sperm motility is done in laboratory of same individuals. Higher Sperm count, good Sperm motility and high semen volume are found in Uttam Shukradhatusara (Supreme quality of Reproductive tissue) individuals as compare to hina shukradhatusara (Average quality of Reproductive tissue) individuals. It is not possible to come to any conclusion as this was pilot study. Further study should be conducted on large sample size.

[†]PH.D Scholar, Associate Professor;

[‡]Guide & Professor;

^{*}Assistant Professor:

^{*}Corresponding author: E-mail: dr.spnikhate@gmail.com;

Keywords: Shukra dhatu; shukra dhatusara; semen volume; sperm motility; sperm count.

1. INTRODUCTION

Dhatusara (Supremacy of body tissue) reflects qualitative and functional status of dhatu (tissue) [1]. In Ayurveda, characteristics of each dhatusara is mentioned and it shows excellent state of same dhatu. Garbhotpadan (reproduction) is main function of Shukra dhatu(Reproductive tissue) [2]. Quality of Shukra dhatu (Reproductive tissue) is mentioned i.e. Stree-priya (liking by opposite gender) Stree-Upbhoga, (enjoy sexual activities) Balavant (having good strength) Apatyabhai (good progeny) [3]. Quality of semen is very much essential for conception and healthy progeny. Any type of deformity in semen (volume, count, motility of sperm) leads to infertility in male. Further is lead to stressful situation in married life. Main purpose of present study to make awareness regarding reproductive health. Pilot study was conducted to find out relationship between Shukra dhatusarata and quality of semen.

1.1 Aim and Objectives

- To find relationship between Shukra dhatusara purusha and quality of semen
- To Assess Shukra dhatusarata ir apparently healthy Individuals,
- To assess semen analysis (semen volume sperm count and sperm motility) of different shukra dhatusarata individuals.

2. MATERIALS AND METHODS

This observational pilot study was conducted on 30 healthy male volunteers of different *Shukra dhatusara* to analysis quality of semen.

2.1 Sampling Technique

Purposive sampling.

2.2 Sample Size

30.

2.3 Selection Criteria

2.3.1 Inclusion criteria

- Apparently healthy male volunteers.
- Age between 25 to 30 years

2.3.2 Exclusion criteria

- Individuals having any diagnosed systemic disorders and on medication for the same.
- Individual not living together with their sexual partner

2.4 Parameter of Assessment

Subjective: Shukra dhatusarata [4].

 Shukra dhatusarata was assessed with standard proforma. Questionnaires are based on characteristics are given in Ayurved samhita.

Objective: Semen analysis.

Semen Volume, Sperm count, Sperm motility.

It was done in laboratory.

Collection of Semen: volunteer must had to abstinence of at least 3 days, sample was collected by masturbation method in dry, sterile, plastic container. Semen volume, Sperm count and Sperm motility were analyzed.

2.5 Study Design

Inform written consent was taken

Shukra dhatusarata was assessed

Volunteers were grouped into three, based on presence of Characteristic of *Shukra dhatusarata*

Group-1 (*Uttam Shukra dhatusara*) –66.67-100 Group-2 (*Madhyama Shukra dhatuSata*) –33.34-66.66

Group-3 (*Hina Shukra dhatusara*)– 0-33.33 %

Semen analysis were done of same individuals

Analysis of data

3. OBSERVATIONS

A total of 30 male volunteers were participated in the study.

Table 1. Age of volunteers

Age group(Year)	No. Of individuals	percentage
25-30	18	60
31-35	12	40
Total	30	100

Table 2. Shukra dhatusara parikshana

Types of Sarata	Score	Subjects	Percentage	
Uttama	13-19	11	36.66	
Madhayama	7-12	10	33.34	
Hina	0-6	9	30	

Table 3. Semen volume in different Shukra dhatusara individuals

Types of Sarata	Average Semen volume per ejaculation		
Uttama	4.79 ml	11	
Madhayama	3.52 ml	10	
Hina	2.3 ml	9	

Table 4. Sperm count in different Shukra dhatusara individuals

Types of Sarata	Average Sperm count (million /ml)	Total	
Uttama	98.18	11	
Madhayama	62.2	10	
Hina	26.55	9	

Table 5. Sperm motility in different Shukradhatusara individuals

Types of Sarata	Average Sperm motility (%)	Total
Uttama	74.72	11
Madhayama	55.9	10
Hina	38.89	9

4. STATISTICAL ANALYSIS AND RESULTS

Parsons's correlation test was applied to know relationship between relationship between shukra dhatusara purusha with quality of semen.

Table 6. Correlation of characteristics of Shukra dhatusara and semen volume

Characteristics of Shukradhatusara	Х	Y	N-No. of Subject	r	P-Value
(X) and Semen	10.2	3.62	30	0.9218	0 .00001.

X = Mean of Characteristics of Shukra dhatusara, Y= Mean of Semen volume, N=No. of Subject, r = Correlation coefficient

The result is significant at p < .01 this is a strong positive correlation, which means that high Characteristics of Shukra dhatusara go with high Semen volume and vice versa

Table 7. Correlation of characteristics of Shukra dhatusara and sperm count

Characteristics of	Χ	Υ	N	r	P-Value
Shukradhatusara	10.2	64.7	30	0.9116	< .00001
and Sperm count					

X = Mean of Characteristics of Shukra dhatusara, Y = Mean of Sperm count, N = No. of Subject, r = Correlation coefficient

The result is significant at p < .01 this is a strong positive correlation, which means that high Characteristics of Shukradhatusara go with high Sperm volume and vice versa

Table 8. Correlation of characteristics of Shukra dhatusara and sperm motility

Characteristics of	Х	Υ	N	r	P-Value
Shukra dhatusara and Sperm motility	10.2	57.7	30	0.9412	< .00001

X = Mean of Characteristics of Shukra dhatusara, Y= Mean of Sperm motility, N=No. of Subject, r = Correlation coefficient

The result is significant at p < .01. This is a strong positive correlation, which means that high Characteristics of Shukra dhatusara go with high Sperm motility and vice versa

5. DISCUSSION

5.1 Discussion on Shukra Dhatu and Shukra Dhatusarata

- The substance which comes out during coitus is 'Retas' (Semen).
- Principle organs of Shukra Vaha Strotasa (male reproductive system) i.e.Shukra dhatu (Reproductive tissue) are testes and penis [5]. Shukra Dhatu is present in whole body. Seventh 'Kala' is 'ShukradharaKala [6] (membrane separate tissue) which is present all over the body but it is particularly located at the distance of two 'Angula (fingers)' laterally to the right side of 'Bastidwara' (bladder) & 'Mutramarga' (urethra and penis) [7].
- participation Βv the active of 'Panchamahabhuta' (five basics elements) Sapta Dhatu utpatti (formation of seven place. tissue) takes Shukra (Reproductive tissue) is formed at the last stage, 'Agni' (Biotransformation power) digests the 'Majjadhatu' (bone marrow) present in hollow spaces of 'Asthidhatu' tissue)and formation 'Soma'(watery) Gunatmaka (Quality) Shukradhatu occurs. It takes one month for generation of Shukra (Semen) [8]. By special action milk is turned immediately into Shukra.
- Shukra (Semen) is Soumya (mild), Avidahi (Cool), Drava (fluid), Shweta (white), Sphatikasannibha (Quality like quartz), smelling like honey, Picchila (slimy), Bahala (abundant) and its color is like oil or honey. Such semen is supposed to be fertile. Extreme 'Snigdha'Guna (Unctuous)is chief property of Shukra (Semen) is capable of offering strength to the body [9].
- Principle function of Shukradhatu is Garbhotpadana (reproduction). It gives courage to person. Further it has functions –Chyavan (get ejaculated smoothly during

- intercourse), *Priti* (creates softness in mind), *Dehabala* (strength to the body) and *Harsha* (arouse man for reproduction) [10].
- Shukra dhatusara individual are mild looking pleasant to look, Their eyes are as if filled by milk₂, always happy, their teeth are set equally, are of *Snigdha Guna* (unctuous) look round, close to each other, their voice and color is pleasant, *Snigdha*. Their pelvic region is broad and they are dear to females. They enjoy females .They are strong, achieve happiness, wealth, health, money, felicitation and children [11].
- These individual have Snigdha (unctuousness), Samahata (compact) white teeth and nails. They have strong sex desires and are fertile [12].

5.2 Discussion on Semen Analysis

5.2.1 Semen

Semen is a white or gray fluid that contains spermatozoa. It is the collection of fluid from testes, seminal vesicles, prostate gland & bulbourethral glands. Semen is discharged during sexual act and the process of discharge of semen is called ejaculation. Testis contributes sperms. The prostate secretion gives milky appearance to semen. And the secretion gives milky appearance to semen. And the secretions from seminal vesicle and Bulbourethral glands provide mucoid consistency to semen. At the time of ejaculation, human semen is liquid in nature. Immediately it coagulates and after some time it undergoes a secondary liquefaction. The fibrinogen secreted by seminal vesicle is converted into a weak coagulum by the clotting enzymes, Secreted by the prostate gland. The coagulum is liquefying after about 30 minutes as it lysed by fibrinolysin. Fibrinolysin is the activated form of profibrinolysin produce from prostate gland. When semen ejaculates; the sperm are non-motile due to the viscosity of the coagulum. When coagulum dissolves, the sperms become motile [13].

5.2.2 Properties of semen [14]

- Specific gravity -1.028.
- Volume-2-6 ml. per ejaculation.
- Reaction it is alkaline with pH of 7.5. The alkalinity is due to the secretion from prostate gland.

5.2.3 Composition of semen [15]

Semen contains 10% sperms and 90% of fluid part which is called seminal plasma. The seminal plasma contains the product from seminal vesicle and prostate gland. It also has small number of secretions from the mucus glands, particularly the Bulbourethral gland.

Semen examination is an integral part of the evaluation of the infertility. As a result of relative simplicity semen examination is often requested before the complicated and expensive examinations of females. Repeat examination should be done if once it is found to be abnormal.

5.3 Discussion on Statistical Analysis and Result

Parsons's correlation test was applied to know relationship between relationships between shukra dhatusara purusha with quality of semen

i.e. Semen volume, sperm count & sperm motility.

Test is significant there is relationship between characteristics of Shukra dhatusara and Semen volume, sperm count & sperm motility.

As discussed earlier, *Shukra Dhatusarata* is reflection of supreme quality and function of *shukra dhatu. Shukravaha strotas* can be correlated to that of Male Reproductive system. Quality of *Shukra dhatu* described in Samhita is similar to that of semen. Best quality of both is responsible for new offspring i.e. reproduction. Hence *Shukra dhatu* can be correlated with semen on the basis of their same quality and function.

Semen volume is seen more in Uttam shukra dhatusara individuals that reflects Bahal (abundant) quality of shukra dhatu. Less volume is seen in Hina shukradhatu sara individuals due to average quality shukra dhatu. Sperm count and sperm motility were found in higher range in uttam shukra dhatusara individuals as compare to madhyam and hina shukra dhatusara individuals. That reflects average quality of semen and shukra dhatu in hina shukra dhatusara individuals.

Table 9. Semen analysis testing

The WHO has provided normal limits of reference for semen analysis. The values mentioned in the chart below represent the accepted 5th percentile for the parameters measured [16].

Volume	> 1.5 mL
Total sperm number	39 million sperm per ejaculate or more
Morphology	>4 percent normal forms using the tygerberg method
Total (progressive motility and non progressive motility)	>40%
Viscosity	<2 cm after liquefaction
рН	>7.2
Vitality	>58% live sperm
No sperm agglutination	

Table 10. Classification of semen quality [17]

Semen parameter	Normal quality	Marginal quality	Abnormal quality
Semen volume(ml.)	2-5	1-2	<1
Sperm motility (%)	>50	40-50	<40
Sperm concentration. (mill/ml)	20-250	10-20	<10

6. CONCLUSION

- Average Semen volume in uttam, madhyam & hina Shukrasara individual is 4.79 ml, 3.52 ml & 2.3 ml respectively. Semen volume is higher in Uttam shukrasara
- Average Sperm count in uttam, madhyam & hina Shukrasara individual is 98.18 million /ml, 62.2 million /ml & 26.55 million /ml respectively
- Sperm motility in uttam, madhyam & hina Shukrasara individual is 74.72%,55.9%,&38.89% respectively
- There is supreme quality of semen and shukra dhatu is found in uttam shukra dhatusara individuals
- On the basis of same quality and functions Shukra dhatu is correlated with semen
- Uttam shukra dhatusarata and best quality of semen are the sign of best Reproductive health.
- There is significant relationship between characteristics of Shukradhatusara & Semen volume, sperm count & sperm motility.

CONSENT

As per international standard or university standard, patients' written consent has been collected and preserved by the author(s).

ETHICAL APPROVAL

As per international standard or university standard written ethical approval has been collected and preserved by the author(s).

ACKNOWLEDGEMENT

Authors like to thank the Trustee, Parul University, Dr. Hemant Toshikhane, Dean Faculty of Ayurved, Parul University for providing facilities. Authors also thank faculties and post graduate students of department of Kriya Sharir, Parul Institute of Ayurved for kind support.

COMPETING INTERESTS

Authors have declared that no competing interests exist.

REFERENCES

 Charak Samhita of Agnivesha elaborated by Charaka & Drudhabala with Ayurveda-

- Dipika commentary by Chakrapanidatta, edited by Vaidya Yadavaji Trikamji Aacharya, Vimansthana Chapter 8; Verse No-94. Published by Chaukhamba Surbharati Prakashan Varanasi. Reprint; 2011.
- Ashtanga Hridaya of Vagbhata with the commentaries Sarvangasudara of Arundatta & Ayurvedarasayana of Hemadri; Annotated by Dr. Anna Kunte & Krishna Navre, edited by Pt. Hari Sadashiva Shastri Paradkar Sutrasthan chapter 11, verse no.4, Chaukhamba Sanskrit Sansthan Varanasi Reprinted; 2009.
- 3. Charak Samhita of Agnivesha elaborated by Charaka & Drudhabala with 'Ayurveda-Dipika' commentary by Chakrapanidatta, edited by Vaidya Yadavaji Trikamji Aacharya, Vimansthana Chapter 8; Verse No 103, Published by Chaukhamba Surbharati Prakashan Varanasi.Reprint; 2011.
- 4. Chandar Parkash Gunawat et.al, weighted mean: A Possible Method to Express Over All *Dhatusarata*, Ayurveda Inteqr Med. 2015;6(4):286-289.
- Charak Samhita of Agnivesha elaborated by Charaka & Drudhabala with 'Ayurveda-Dipika' commentary by Chakrapanidatta, edited by Vaidya Yadavaji Trikamji Aacharya, Vimansthana Chapter 5;Verse No 17, Published by Chaukhamba Surbharati Prakashan Varanasi. Reprint; 2011.
- 6. Charak Samhita of Agnivesha elaborated by Charaka & Drudhabala with 'Ayurveda-Dipika' commentary by Chakrapanidatta, edited by Vaidya Yadavaji Trikamji chikitsasthana Aacharva. Chapter 15:Verse No 33. **Published** bν Surbharati Chaukhamba Prakashan Varanasi, Reprint: 2011.
- 7. Sushruta Samhita of Sushruta 'Nibandhasangraha' commentary bγ Dalhanacharya 'Nyayacandrika' and Commentary by Gayadasa: edited by Yadavaji Trikamaji Aacharya, Sharirsthana Chapter4; Verse no. 20, published by Chaukhamba Sanskrit Sansthana Varanasi, Reprint; 2009.
- 8. Ashtanga Hridaya of Vagbhata with the commentaries Sarvangasudara of Arundatta & Ayurvedarasayana of Hemadri; Annotated by Dr. AnnaKunte & Krishna Navre, edited by Pt.HariSadashiva Shastri Paradkar Sharirsthan chapter 3,

- verse no.66, Chaukhamba Sanskrit Sansthan Varanasi Reprinted; 2009.
- 9. Charak Samhita of Agnivesha elaborated by Charaka & Drudhabala with 'Ayurveda-Dipika' commentary by Chakrapanidatta, edited by Vaidya Yadavaji Trikamji Chapter Aacharya, chikitsasthana 2/4Verse No 50. Published by Surbharati Prakashan Chaukhamba Varanasi. Reprint; 2011.
- Sushruta Samhita of Sushruta with 'Nibandhasangraha' commentary bν Dalhanacharva and Nyayacandrika Commentary by Gayadasa: Edited by Yadavaji Trikamaji Aacharya, Sutrasthan Chapter15; Verse no. 15; published by Sanskrit Sansthana Chaukhamba Varanasi, Reprint; 2009.
- 11. Charak Samhita of Agnivesha elaborated by Charaka & Drudhabala with 'Ayurveda-Dipika' commentary by Chakrapanidatta, edited by Vaidya Yadavaji Trikamji Aacharya, Vimansthana Chapter 8; Verse No 111, Published by Chaukhamba Surbharati Prakashan Varanasi. Reprint; 2011.
- 12. Sushruta Samhita of Sushruta with 'Nibandhasangraha' commentary by

- Dalhanacharva. edited Yadavaii bν Trikamaii Aacharva. Sutrashtana Chapter35: Verse no. 16. Page published no.152. bγ Chaukhamba Sanskrit SansthanaVaranasi, Reprint: 2009
- Medical Physiology for Under Graduate Students by Indu Khurana & Arushi Khurana, Section 9, chapter 9.2, page 598, 2nd addition Elsevier publication; Delhi; 2018.
- Essential of Medicial Physiology , K Sembulingam & Prema Sembulingam, Section 7, chapter 74, page 503, 8th addition, JAYPEE Brothers Medical Publication, New Delhi; 2019.
- Principles of Anatomy and Physiology' by Dr. Gerard, J. Tortora and Dr. Sandra Reynolds, Chapter-, page-158, Harper Collins College Publishers, 12th edition.
- Practice Committee of the American Society for Reproductive Medicine. Diagnostic evaluation of the infertile male: A committee opinion. Fertil Steril. 2015; 103(3):e18-25. [PubMed]
- 17. Available:https://www.fertstert.org/article/S 0015-0282(16)45624-4/pdf

© 2021 Sunil et al.; This is an Open Access article distributed under the terms of the Creative Commons Attribution License (http://creativecommons.org/licenses/by/4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history:
The peer review history for this paper can be accessed here:
https://www.sdiarticle5.com/review-history/78026