



Constraints in the Production and Marketing of Soybean

Ajaykumar S. Y^{a++*}, S. S. Guledagudda^{a#}, G. N. Kulkarni^{a†} and G. Somanagouda^{b‡}

^a Department of Agricultural Economics, College of Agriculture, University of Agricultural Sciences, Dharwad-580005, Karnataka, India.

^b Department of Agronomy, College of Agriculture, University of Agricultural Sciences, Dharwad-580005, Karnataka, India.

Authors' contributions

This work was carried out in collaboration among all authors. All authors read and approved the final manuscript.

Article Information

DOI: <https://doi.org/10.9734/arja/2024/v17i4551>

Open Peer Review History:

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here: <https://www.sdiarticle5.com/review-history/118242>

Original Research Article

Received: 29/07/2024

Accepted: 03/10/2024

Published: 15/10/2024

ABSTRACT

The production pattern as well as the consumption pattern of India has dramatically changed in the recent past. Soybean, a miracle crop with 40 per cent protein and 20 per cent oil has gained demand for consumption as well as oil extraction leading to increase in area under production. This paper has made an attempt to decode the constraints faced by farmers in the production and marketing of soybean in the study region so as to draw the attention of concerned authorities to come up with possible solution. The data related to agricultural year 2021-22 is extracted for present research. The primary data is collected by the personal interview method with the pre-tested

⁺⁺ PG Scholar;

[#] Professor and Head;

[†] Professor;

[‡] Head;

*Corresponding author: E-mail: ajaykumaryeklaspur@gmail.com;

Cite as: S. Y, Ajaykumar, S. S. Guledagudda, G. N. Kulkarni, and G. Somanagouda. 2024. "Constraints in the Production and Marketing of Soybean". *Asian Research Journal of Agriculture* 17 (4):486-91. <https://doi.org/10.9734/arja/2024/v17i4551>.

schedule. Garrett's ranking technique is used to interpret the data. It is inferred from the results that among production constraints non-availability or inadequacy of required improved variety seeds in adequate quantities at the right time is the major constraint with the highest mean Garrett score of 74.34 followed by scarcity of labour during peak periods (Garrett score 51.12). Among various marketing constraints encountered by farmer respondents in soybean marketing in the study region. It was inferred that high price fluctuation was the major constraint with the highest mean Garrett score of 92.29 followed by untimely payment of sale proceeds (Garrett score 72.82). This article highlights the important constraints to be addressed to help farmers prosper in soybean production and marketing.

Keywords: Garrett; scarcity; untimely; inadequacy; fluctuation.

1. INTRODUCTION

"Soybean (*Glycine max*) is one of the major primary oilseed crops of India" [1,2]. "It is a species of the legume native to East Asia, it is an imperative global crop widely grown for its edible bean, oil and has numerous utilities. Hence, Soybean is referred to as the "Golden bean" and "Miracle crop" etc. Soybean is the world's most significant seed legume, which contributes to about 25 per cent of the global edible oil and two-thirds of the world's total protein concentrate. It is used as the cheapest source of protein for livestock feeding. The total soybean production in the world during 2018-19 was 348.71 million metric tonnes" (Anonymous, 2020b). "Among the countries growing soybean, Brazil ranked first with production of 125.89 million metric tonnes in 2018-19 trailed by United States of America (123.66 million metric tonnes), Argentina (37.79 million metric tonnes), China (14.19 million metric tonnes) and India (13.27 million metric tonnes)" (Anonymous, 2020b). "Besides soybean's use as vegetable, it is also utilized in oil industries where it ranked first in the world oil production" [3]. "Soybean based food products are also appropriate to diabetic patients as they contain less quantity of carbohydrates and low cholesterol content. Therefore, it is one of the most cost-effective protein sources in the world" [4]. It is a versatile crop with numerous possibilities of improving agriculture and supporting farming industry. Therefore, the cultivated area under soybean production is increasing substantially which has its own-associated constraints in production and marketing.

Indian scenario: "The commencement of commercial exploitation of soybean in India was approximately four decades ago. Soybean has recognized itself as a major *kharif* season crop in the rainfed ecosystem of central and peninsular India. India has ranked fifth after the USA, Brazil,

Argentina and China in terms of area (111.3 Lakh hectare) and production (132.7 lakh tonnes) of soybean in the world during 2018-19 with productivity of 1192 kg/ha. Among the states of India, Madhya Pradesh was the top producer of soybean with production of 66.7 lakh tonnes trailed by Maharashtra (46.1 lakh tonnes), Rajasthan (11.7 lakh tonnes) and Karnataka (2.6 lakh tonnes). These states collectively contribute to more than 90 per cent to the total soybean production of India. Madhya Pradesh is popularly known as 'Soya State of India' since it occupies major portion (51.23 %) of area under soybean cultivation" (Anonymous, 2020c). "Soybean has achieved a prominent spot in India's agro-economy. India had exported about 3.9 lakh tonnes of soybean meals / de-oiled cakes worth Rs. 1434.03 crores in 2019-20 (April-August) which contributes significantly to overall agricultural export. Domestic consumption of soya meal in India stood at 5.80 million tonnes during 2019-2020 i.e., higher than 5.48 million tonnes during 2018-19" (Anonymous, 2020a).

Karnataka scenario: The area under soybean cultivation in Karnataka state in 2018-19 was 2.5 lakh hectares with production of 2.6 lakh tonnes and productivity of 1034 kg/ha¹. Among districts, Bidar was the principal producer of soybean with production of 1.03 lakh tonnes trailed by Belagavi (0.90 lakh tonnes), Kalaburagi (0.30 lakh tonnes) and Dharwad (0.27 lakh tonnes) during 2018-19. These districts collectively contribute to around 95 per cent of the total soybean production in Karnataka. Bidar district alone occupies around 47.8 per cent of the area under soybean production in Karnataka state.

Uses of Soybean: Soybean comprises proteins, vitamins, calcium, phosphorous and iron and is perfectly suitable for human diet. Food uses of soybean include beverages, fermented foodstuffs like soya sauce and yoghurt. Cheese equivalents like fried and roasted nuts, sprouts, etc. Small

amounts of soybean flour are already being used in baked products, primarily in biscuits and appetizers. The considerable amount of soya flour is also used in place of besan in confectionaries, pappads and similar consumable products. More demand for soya is in the pharmaceutical companies, farming, plywood glues, asphalt cement, detergent goods, paper boards, laminations and fibre panels.

The important soybean refined products are as follows:

1. **Soybean oil** is hauled out from its seeds and is used as vegetable oil. It is extensively used as cooking oil in India. In the course of manufacturing, the seeds are cracked and heated to 60 to 87° C.
2. **Oil meal** is the byproduct of soybean oil processing and is used as cattle feedstuff.
3. **Soybean milk** is being obtained by soaking, grinding and boiling soybean with water. It is one of the most vital nutritious drinks that can aid in keeping our health in upright condition. It encompasses all the indispensable proteins, fibre, fatty acids, vitamins and minerals.
4. **Soybean flour** is obtained from roasted soybean that is grinded into a powder. The flour is considered to be good for human well-being and can be utilized as the supplement of wheat flour.
5. Soybean foodstuffs like **tofu** and **soya yogurt** are also the rich source of proteins and vitamins.

Health benefits of soybean [5]:

1. It comprises low fat with practically no cholesterol.
2. It encompasses Omega – 3 fats which are considered to be good for the heart.
3. It is an exceptional source of Calcium and Vitamin B12.
4. It is a decent source of proteins comprising all of the amino acids.
5. It comprises crucial minerals like selenium, iron, calcium and magnesium.
6. It helps in plummeting diseases associated with heart, cancers and osteoporosis.
7. It is universally used as livestock feedstuff, predominantly in the form of soybean meal.
8. About 85 per cent of the world's soybean crop is processed into soybean meal and soybean oil, the residual is processed in other ways or eaten whole.

2. METHODOLOGY

The present study is conducted in 2021-22 to analyse the problems confronted by farmer respondents in production and marketing of soybean crop. The following analytical tools were used to carry out research.

Sampling procedure: A multistage purposive sampling technique was employed in choice of districts, taluks, villages and sample respondents. In the first phase, Belagavi and Dharwad districts were chosen intentionally for analysis based on maximum area under soybean production. In the second phase, based on the highest area under soybean production, two taluks, Bailhongal and Hukkeri from Belagavi district and two taluks, Kalghatagi and Hubballi from Dharwad district were chosen intentionally for the study. In the third phase, two villages from each of the taluks based on maximum area under soybean production were chosen intentionally. In the fourth stage, sixteen farmer respondents were chosen from each village encompassing eight sample farmer respondents who are growing University soybean cultivars and eight farmer respondents who are growing other soybean cultivars in UASD jurisdiction. Thus, the total sample size of 128.

Analytical tools:

Garrett's ranking technique: The constraints faced by the sample respondents during adoption of soybean technologies are ranked by using Garrett's ranking technique. As per method, farmer respondents were enquired of constraints that they confronted in the adoption of soybean technologies. Depending upon the intensity of constraints faced by them rankings were assigned individually to each of the constraints. Similarly, ranks were allocated to the different frequency of various constraints. The results of such ranking are converted into score value by using the following formula.

$$\text{Per cent position} = 100 * (R_{ij} - 0.5) / N_j$$

Where,

R_{ij} = Rank given for the i th constraint by j th farmer respondent.

N_j = Number of constraints ranked by the j th farmer respondent.

The per cent position of each rank was changed to scores by referring to tables given by Garret

and Woodworth [6]. Then for each constraint, scores of individual farmer respondents are summated and divided by the total number of farmer respondents for whom scores are assembled. The mean scores of all the constraints are ranked.

3. RESULTS AND DISCUSSION

Table 1 indicate various production constraints faced by respondents in cultivation of soybean varieties in the study region. It is incidental from the table that non-availability of required

improved variety seeds in adequate quantities at the right time was the major constraint with the highest mean Garrett score of 74.34 followed by scarcity of labour during peak periods (Garrett score 51.12), high variability in labour wages (Garrett score 50.16), incidence of pest and diseases (Garrett score 49.69), inadequate germination of seeds (Garrett score 45.97), unawareness of recommended practices (Garrett score 45.75), unawareness of soybean variety (Garrett score 44.08) and difficulty in hiring required implements during peak period (Garrett score 37.90).




Fig. 1. Map showing study area

Table 1. Constraints encountered by respondents in soybean production in study area**(n=128)**

SN.	Constraints	Mean Garrett score	Rank
1	Non-availability of seeds of improved soybean variety of (Dsb-21) in required quantities	74.34	I
2	Scarcity/shortage of labour during peak-periods	51.12	II
3	High variability in labour wages	50.16	III
4	Incidence of pest and diseases	49.69	IV
5	Inadequate germination of seeds	45.97	V
6	Unawareness of recommended practices	45.75	VI
7	Unawareness of soybean variety	44.08	VII
8	Difficulty in hiring implements during peak period	37.90	VIII

Table 2. Constraints encountered by respondents in soybean marketing in the study area**(n=128)**

SN.	Constraints	Mean Garrett score	Rank
1	High price fluctuations	92.29	I
2	Untimely payment of sale proceeds	72.82	II
3	Lack of market information	54.84	III
4	Long distance to market	48.50	IV
5	Lack of grading facilities	40.63	V
6	High cost of transportation	37.87	VI
7	Lack of storage facilities	28.34	VII
8	Lack of marketing cooperative societies	23.70	VIII

Table 2 specify various marketing constraints faced by respondents in soybean marketing in the study region. It is incidental from the table that high price fluctuation was the major constraint with highest mean Garrett score of 92.29 followed by untimely payment of sale proceeds (Garrett score 72.82), lack of market information (Garrett score 54.84), the long distant market (Garrett score 48.50), lack of grading facilities (Garrett score 40.63), the high cost of transportation (Garrett score 37.87), lack of storage facilities (Garrett score 28.34) and lack of marketing co-operative societies (Garrett score 23.70). These results were in line with study conducted by Jamanal [7] and Yogananda [8], [9-12].

4. CONCLUSION

Non-availability of the required quantity of Dsb-21 soybean variety seeds was the major constraint (Rank-I) in the study area. there is a need to increase the spread of improved soybean variety through its higher seed production by collaboration between the university, seed producing agencies and National Seed Corporation (NSC) who jointly are responsible for distributing the required quantity of improved variety seeds at the right time. The higher fluctuation in prices can be overcome by creating awareness among

farmers regarding Minimum support price and marketing loans availed on production of warehouse receipt to avoid distress sale.

DISCLAIMER (ARTIFICIAL INTELLIGENCE)

Author(s) hereby declare that NO generative AI technologies such as Large Language Models (ChatGPT, COPILOT, etc) and text-to-image generators have been used during writing or editing of manuscripts.

DECLARATION

We hereby declare that the article has neither been published or submitted for publication elsewhere.

ACKNOWLEDGEMENT

This paper evolved out of the Staff Research Project funded by the University of Agricultural Sciences (UAS), Dharwad, Karnataka State under SCP & STP Grants, Government of Karnataka, Bengaluru, India. Hence, I would express my sincere gratitude to the University for their constant financial support in all the possible ways to execute the project within the stipulated time period.

COMPETING INTERESTS

Authors have declared that no competing interests exist.

REFERENCES

1. Mandal KG, Saha KP, Ghosh PK, Hati KM, Bandyopadhyay KK. Bioenergy and economic analysis of soybean-based crop production systems in central India. *Biomass and bioenergy*. 2002;23(5):337-345.
2. Amol V, Bhati KR, Bhati KR. Nutritive benefits of soybean (*Glycine max*). *Indian J Nutr Diet*. 2021; 522-33.
3. Sharma M, Gupta SK, Mondal AK. Production and trade of major world oil crops. *Technological Innovations in Major World Oil Crops*. 2012; 1(Breeding):1-15.
4. Mishra R, Tripathi MK, Sikarwar RS, Singh Y, Tripathi N. Soybean (*Glycine max* L. Merrill): A Multipurpose Legume Shaping Our World. *Plant cell biotechnology and molecular biology*. 2024;25(3-4):17-37.
5. Rizzo G, Baroni L. Soy, soy foods and their role in vegetarian diets. *Nutrients*. 2018;10(1):43.
6. Garrett HE, Woodsworth RS. *Statistics in Psychology and Education*, Vakils, Feffer and Simons Pvt. Ltd. Bombay. 1969;329.
7. Jamanal SK, Syed S. Constraints faced by the soybean growers, *J. Pharmacog. Phytochem*. 2017;6(6):31-32.
8. Yogananda RE. Production and marketing of soybean in Belagavi district of Karnataka - An Economic analysis. M.Sc. (Agri.) Thesis., Uni. Agric. Sci. Dharwad, Karnataka (India); 2016.
9. Annual Report, Ministry of Consumer Affairs, Food and Public Distribution, GOI, New Delhi; 2020-21.
10. Annual Report, Food and Agricultural Organisation, Rome, Italy; 2020-21.
11. Annual Report, Agriculture Statistics at A Glance, Ministry of Agriculture and Farmer's Welfare, GOI, New Delhi; 2020-21.
12. Qin P, Wang T, Luo Y. A review on plant-based proteins from soybean: Health benefits and soy product development. *Journal of Agriculture and Food Research*. 2022;7:100265.

Disclaimer/Publisher's Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of the publisher and/or the editor(s). This publisher and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.

© Copyright (2024): Author(s). The licensee is the journal publisher. This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history:

The peer review history for this paper can be accessed here:
<https://www.sdiarticle5.com/review-history/118242>